

# FINAL JEE-MAIN EXAMINATION – SEPTEMBER, 2020 On Friday 04th SEPTEMBER, 2020) TIME: 9 AM to 12 PM

# **CHEMISTRY**


- 1. On heating, lead(II) nitrate gives a brown gas (A). The gas (A) on cooling changes to a colourless solid/liquid (B). (B) on heating with NO changes to a blue solid (C). The oxidation number of nitrogen in solid (C) is:
  - (1) +5
- (2) +2
- (3) +4
- (4) + 3


#### Official Ans. by NTA (4)

- 2. Which of the following will react with CHCl<sub>3</sub> + alc. KOH?
  - (1) Adenine and lysine
  - (2) Adenine and thymine
  - (3) Adenine and proline
  - (4) Thymine and proline

#### Official Ans. by NTA (1)

3. When neopentyl alcohol is heated with an acid, it slowly converted into an 85: 15 mixture of alkenes A and B, respectively. What are these alkenes?





(3) 
$$H_3C$$
  $CH_2$   $H_3C$   $CH_3$   $CH_3$   $CH_3$ 


(4) 
$$H_3C$$
  $CH_3$  and  $H_3C$   $CH_3$   $CH_3$ 

Official Ans. by NTA (4)

# **TEST PAPER WITH ANSWER**

- **4.** Among statements (a) -(d), the correct ones are :
  - (a) Lime stone is decomposed to CaO during the extraction of iron from its oxides.
  - (b) In the extraction of silver, silver is extracted as an anionic complex.
  - (c) Nickel is purified by Mond's process.
  - (d) Zr and Ti are purified by Van Arkel method.
  - (1) (c) and (d) only
  - (2) (a), (c) and (d) only
  - (3) (b), (c) and (d) only
  - (4) (a), (b), (c) and (d)

# Official Ans. by NTA (4)



$$E^{o}_{Cu^{2+}|Cu} = +0.34V$$

5.


$$E_{Zn^{2+}|Zn}^{o} = -0.76V$$

Identify the incorrect statement from the options below for the above cell:

- (1) If  $E_{ext} > 1.1 \text{ V}$ , Zn dissolves at Zn
  - electrode and Cu deposits at Cu electrode
- (2) If  $E_{ext} > 1.1 \text{ V}$ ,  $e^-$  flows from Cu to Zn
- (3) If  $E_{\text{ext}} = 1.1 \text{ V}$ , no flow of  $e^-$  or current occurs
- (4) If E<sub>ext</sub> < 1.1 V, Zn dissolves at anode and Cu deposits at cathode

Official Ans. by NTA (1)


**6.** The IUPAC name of the following compound is:





- (1) 4-Bromo-2-methylcyclopentane carboxylic acid
- (2) 5-Bromo-3-methylcyclopentanoic acid
- (3) 3-Bromo-5-methylcyclopentane carboxylic acid
- (4) 3-Bromo-5-methylcyclopentanoic acid


#### Official Ans. by NTA (1)

7. For the equilibrium  $A \rightleftharpoons B$ , the variation of the rate of the forward (a) and reverse (b) reaction with time is given by











Official Ans. by NTA (3)

8. The decreasing order of reactivity of the following organic molecules towards AgNO<sub>3</sub> solution is:



#### Official Ans. by NTA (4)

9. An organic compound (A) (molecular formula  $C_6H_{12}O_2$ ) was hydrolysed with dil.  $H_2SO_4$  to give a carboxylic acid (B) and an alcohol (C). 'C' give white turbidity immediately when treated with anhydrous  $ZnCl_2$  and conc. HCl. The organic compound (A) is:



Official Ans. by NTA (1)

- **10.** Match the following:
  - (i) Foam
- (a) smoke
- (ii) Gel
- (b) cell fluid
- (iii) Aerosol
- (c) jellies
- (iv) Emulsion
- (d) rubber
- (e) froth
- (f) milk
- (1) (i)-(b), (ii)-(c), (iii)-(e), (iv)-(d)
- (2) (i)-(d), (ii)-(b), (iii)-(e), (iv)-(f)
- (3) (i)-(e), (ii)-(c), (iii)-(a), (iv)-(f)
- (4) (i)-(d), (ii)-(b), (iii)-(a), (iv)-(e)

#### Official Ans. by NTA (3)

- 11. The elements with atomic numbers 101 and 104 belong to, respectively:
  - (1) Group 11 and Group 4
  - (2) Actinoids and Group 4
  - (3) Actinoids and Group 6
  - (4) Group 6 and Actinoids


#### Official Ans. by NTA (2)

- **12.** On combustion Li, Na and K in excess of air, the major oxides formed, respectively, are:
  - (1) Li<sub>2</sub>O, Na<sub>2</sub>O and K<sub>2</sub>O<sub>2</sub>
  - (2) Li<sub>2</sub>O, Na<sub>2</sub>O<sub>2</sub> and K<sub>2</sub>O
  - (3) Li<sub>2</sub>O<sub>2</sub>, Na<sub>2</sub>O<sub>2</sub> and KO<sub>2</sub>
  - (4)  $\text{Li}_2\text{O}_2$ ,  $\text{Na}_2\text{O}_2$  and  $\text{K}_2\text{O}_2$

#### Official Ans. by NTA (3)

13. [P] on treatment with Br<sub>2</sub>/FeBr<sub>3</sub> in CCl<sub>4</sub> produced a single isomer C<sub>8</sub>H<sub>7</sub>O<sub>2</sub> Br while heating [P] with sodalime gave toluene.

The compound [P] is:



Official Ans. by NTA (4)

- **14.** The number of isomers possible for  $[Pt(en)(NO_2)_2]$  is:
  - (1) 3

(2) 2

(3) 1

(4) 4

#### Official Ans. by NTA (1)


- **15.** The ionic radii of  $O_2^-$ ,  $F^-$ ,  $Na^+$  and  $Mg^{2+}$  are in the order :
  - (1)  $F^- > O^{2-} > Na^+ > Mg^{2+}$
  - (2)  $Mg^{2+} > Na^+ > F^- > O^{2-}$
  - (3)  $O^{2-} > F^{-} > Mg^{2+} > Na^{+}$
  - (4)  $O^{2-} > F^{-} > Na^{+} > Mg^{2+}$

#### Official Ans. by NTA (4)

- **16.** The region in the electromagnetic spectrum where the Balmer series lines appear is
  - (1) Visible
  - (2) Microwave
  - (3) Ultraviolet
  - (4) Infrared

#### Official Ans. by NTA (1)

17. The intermolecular potential energy for the molecules A, B, C and D given below suggests that:



- (1) D is more electronegative than other atoms
- (2) A-D has the shortest bond length
- (3) A-B has the stiffest bone
- (4) A-A has the largest bond enthalpy

Official Ans. by NTA (3)

CH<sub>3</sub>

- **18.** What are the functional groups present in the structure of maltose ?
  - (1) One ketal and one hemiketal
  - (2) One acetal and one hemiacetal
  - (3) Two acetals
  - (4) One acetal and one ketal

#### Official Ans. by NTA (2)

- **19.** For one mole of an ideal gas, which of these statements must be true?
  - (a) U and H each depends only on temperature
  - (b) Compressibility factor z is not equal to 1
  - (c)  $C_{P,m} C_{V,m} = R$
  - (d)  $dU = C_V dT$  for any process
  - (1) (a), (c) and (d)
- (2) (b), (c) and (d)
- (3) (c) and (d)
- (4) (a) and (c)

### Official Ans. by NTA (1)

- 20. The pair in which both the species have the same magnetic moment (spin only) is:
  - (1)  $[Mn(H_2O)_6]^{2+}$  and  $[Cr(H_2O)]^{2+}$
  - (2)  $[Cr(H_2O)_6]^{2+}$  and  $[CoCl_4]^{2-}$
  - (3)  $[Cr(H_2O)_6]^{2+}$  and  $[Fe(H_2O)_6]^{2+}$
  - (4)  $[Co(OH)_4]^{2-}$  and  $[Fe(NH_3)_6]^{2+}$

#### Official Ans. by NTA (3)

21. The mass of ammonia in grams produced when 2.8 kg of dinitrogen quantitatively reacts with 1 kg of dihydrogen is

## Official Ans. by NTA (3400)

**22.** The number of chiral centres present in [B] is

$$\begin{array}{c}
CH-C \equiv N \\
CH_{3} \\
CH_{3}
\end{array}$$

$$\begin{array}{c}
(i) C_{2}H_{5}MgBr \\
(ii) H_{3}O^{+}
\end{array}$$
[A]

$$\xrightarrow{(i)CH_3MgBr} [B]$$

#### Official Ans. by NTA (4)

23. A 20.0 mL solution containing 0.2 g impure  $H_2O_2$  reacts completely with 0.316 g of KMnO<sub>4</sub> in acid solution. The purity of  $H_2O_2$  (in %) is \_\_\_\_\_ (mol. wt. of  $H_2O_2 = 34$ ; mol. wt. of KMnO<sub>4</sub> = 158)

## Official Ans. by NTA (85)

24. If 75% of a first order reaction was completed in 90 minutes, 60% of the same reaction would be completed in approximately (in minutes)

(Take :  $\log 2 = 0.30$ ;  $\log 2.5 = 0.40$ )

#### Official Ans. by NTA (60)

25. At 300 K, the vapour pressure of a solution containing 1 mole of n-hexane and 3 moles of n-heptane is 550 mm of Hg. At the same temperature, if one more mole of n-heptane is added to this solution, the vapour pressure of the solution increases by 10 mm of Hg. What is the vapour pressure in mm Hg of n-heptane in its pure state \_\_\_\_\_\_?

Official Ans. by NTA (600)